

# LORD® 2232 Solvent

## Description

LORD® 2232 solvent is used to reduce viscosity of LORD 2232 silver conductive coating for dip applications.

LORD 2232 solvent is specifically designed for use with LORD 2232 silver conductive coating only. Do not use LORD 2232 solvent to dilute other LORD conductive coatings.

## Features and Benefits

**Improves Application** – when used in LORD 2232 silver conductive coating, improves properties for dip application and provides better control of application film thickness.

## Application

**Mixing** – Premix LORD 2232 silver conductive coating before adding solvent. Refer to LORD 2232 silver conductive coating data sheet for mixing instructions.

Slowly add solvent, 0.5% by volume, while stirring the mixed coating.

## Shelf Life/Storage

Shelf life is one year from date of shipment when stored at 25°C in original, unopened containers. Do not store or use near heat, sparks or open flame.

## Cautionary Information

Before using this or any LORD product, refer to the Safety Data Sheet (SDS) and label for safe use and handling instructions.

*For industrial/commercial use only.* Must be applied by trained personnel only. Not to be used in household applications. Not for consumer use.

## Typical Properties\*

Appearance	Clear Liquid
Viscosity, cps	>10
Density, kg/m <sup>3</sup> ASTM D 1475-85	0.91
Flash Point, °C ASTM D 3278-82, Closed Cup	27
Volatile Organic Content (VOC), g/L ASTM D 3960-87	906

\*Data is typical and not to be used for specification purposes.

Values stated in this technical data sheet represent typical values as not all tests are run on each lot of material produced. For formalized product specifications for specific product end uses, contact the Customer Support Center.

Information provided herein is based upon tests believed to be reliable. In as much as LORD Corporation has no control over the manner in which others may use this information, it does not guarantee the results to be obtained. In addition, LORD Corporation does not guarantee the performance of the product or the results obtained from the use of the product or this information where the product has been repackaged by any third party, including but not limited to any product end-user. Nor does the company make any express or implied warranty of merchantability or fitness for a particular purpose concerning the effects or results of such use.

LORD and "Ask Us How" are trademarks of LORD Corporation or one of its subsidiaries.

---

LORD provides valuable expertise in adhesives and coatings, vibration and motion control, and magnetically responsive technologies. Our people work in collaboration with our customers to help them increase the value of their products. Innovative and responsive in an ever-changing marketplace, we are focused on providing solutions for our customers worldwide ... Ask Us How.

**LORD Corporation**  
**World Headquarters**

111 Lord Drive  
Cary, NC 27511-7923  
USA

**Customer Support Center** (in United States & Canada)

+1 877 ASK LORD (275 5673)

[www.lord.com](http://www.lord.com)

For a listing of our worldwide locations, visit [LORD.com](http://LORD.com).